Jackson County Medical Control Authority **Community Paramedicine Protocols** Dizziness

Page 1 of 1 Date: March 2017

Dizziness

This protocol provides general guidance for the evaluation of patients Indications:

under the Community Paramedicine Program.

To assess the patient with dizziness and differentiate between the patients Purpose:

who can be treated supportively vs those who will require ED evaluation.

CPU Directives:

1. Follow Michigan General Pre-Hospital Care Protocol

- Place patient supine
 - a) If third trimester pregnancy, position patient left lateral recumbent.
- 3. If patient's mental status is altered, refer to Michigan Altered Mental Status Protocol.
- 4. Measure blood glucose if less than 60 mg/dl. Refer to JCMCA CPU Diabetic Patients Protocol.
- 5. Perform neurological assessment. Obtain Cincinnati Stroke Scale. If Cincinnati Stroke Scale is positive, transport to Emergency Department. Refer to Michigan Cerebrovascular Accident (CVA, Stroke) Protocol.
- 6. Administer NS IV fluid bolus up to 1 liter wide open. Repeat as indicated.
 - a) Administer IV fluids cautiously in the elderly and those with a history of CHF.
- 7. Obtain 12 -lead ECG, if available.
 - a) If EKG shows signs of arrhythmia or coronary ischemia, refer to the appropriate Michigan Adult Cardiac Protocol.
- 8. Consider administering Antivert 25mg PO for dizziness.
- 9. Contact the PCP or online medical direction follow the JCMCA General Protocol for CPU Patient Assessments along with the patient report and discuss transport and continuity plans.
- 10. Continue transport and follow the JCMCA General Protocol for CPU Patient Assessments until a disposition is determined and continuity plan completed.