Jackson County Medical Control Authority, Special Operations - Hazardous Materials Medical Response Team HYDROGEN FLUORIDE

Section 10-19

Revised Date: 1/16/2024

Hydrogen Fluoride

Hydrogen Fluoride (Fluoric acid, Hydrofluoric acid, Fluorine monohydride, ammonium bifluoride)

FORMS: Gas, liquid. (Fluoride salts in the presence of acids may generate Hydrogen Sulfide) Metal cleaners and tire rim cleaners.

ROUTES OF EXPOSURE: Skin and eye, inhalation, ingestion.

SIGNS AND SYMPTOMS:

CNS:

Symptoms of hypoxia, stupor, lethargy and coma.

Eye:

Chemical conjunctivitis, opacification of the cornea and

blindness.

Cardiovascular: Hypovolemic shock and circulatory collapse. Tachycardia with

weak pulse. Dysrhythmias related to hypocalcemia.

Hyperkalemic arrhythmias.

Respiratory:

Acute pulmonary edema, asphyxia and chemical pneumonitis.

Upper airway obstruction with stridor, pain and cough due to

edema.

Gastrointestinal: Acute toxicity results in burns to the mouth, esophagus, stomach and lower G.I. tract. Nausea, vomiting and diarrhea,

possibly containing blood.

Skin:

Severe pain with normal looking skin surface. Burn is in lower

skin layers. Bone may be involved. Damage may be severe with no outward signs, except patient will complain of intense

pain.

Other:

Hydrogen fluoride will form hydrofluoric acid upon contact

with water, such as in the respiratory system. Hydrogen fluoride exposures cause extreme pain, and improvements in pain can be used to assess for adequate treatment. Both

hypocalcemia and hyperkalemia can be associated with cardiac

complications.

Jackson County Medical Control Authority Special Operations – Hazardous Materials Medical Response Team

Revised Date:1/16/2024

Section 10-19

Pre-Medical Control

PARAMEDIC

- 1. Follow General HazMat Treatment protocol.
- 2. Dysrhythmias may be treated with IV injections of Calcium Gluconate 1 gm of 10% solution IVP in flushed line. Repeat if dysrhythmia persists.
- 3. In addition to Calcium Gluconate treatment, pain may also be treated per the **Pain** Management Procedure.

Inhalation Exposure

- Add 5ml Calcium Gluconate 10% to 20ml sterile water. Use 5ml for nebulizer. Repeat as needed.
- 2. Consider CPAP to improve ventilation if needed

Eve Exposure

- 1. Follow HAZMAT Eye Irrigation protocol.
- 2. Remove contact lenses if present.
- 3. Irrigate with a 1% aqueous solution of Calcium Gluconate (50ml of 10% Calcium Gluconate in 450 ml of NS).
- Continue irrigation with NS until arrival at the hospital or directed by medical control.

Skin Exposure

- 1. Large volume irrigation may be necessary.
- 2. Prepare a Calcium Gluconate gel by mixing 1 amp of 10% Calcium Gluconate per ounce of K-Y jelly.
- 3. Apply the gel to burned areas. Apply an occlusive dressing over the gel.

Ingestion Exposure

- 1. Do not induce emesis or administer Activated Charcoal.
- 2. If patient is alert and able to swallow give 4-8 oz. of water.
- 3. Treat dysrhythmias according to appropriate protocol in addition to the Calcium Gluconate.

Post-Medical Control

 Medical Control may also order Magnesium Sulfate for treatment of dysrhythmias.

MCA Name: Jackson County MCA MCA Board Approval Date: 01/16/2024 MCA Implementation Date: 04/01/2024 MDHHS Approval: 3/28/24 Page 2 of 3

Jackson County Medical Control Authority Special Operations – Hazardous Materials Medical Response

Section 10-19 Revised Date: 1/16/2024

SPECIAL CONSIDERATIONS:

Pain relief is usually used as an end point for Calcium Gluconate treatment.

The patient who has a significant exposure and is experiencing severe complications has a very poor prognosis. Treatment should be geared towards calcium replacement and care should be given to prevent the possibility of secondary contamination.

Hyperkalemia presents initially with peaked T-waves and may progress to widening of the QRS complex, with either tachydysrhythmias or brady dysrhythmias.

Hypocalcemia produces Q-T prolongation, which can progress into frank arrhythmias.

Victims exposed to hydrogen fluoride vapor do not pose substantial risks of secondary contamination. Victims exposed to hydrogen fluoride liquid, solution or condensed vapor do pose secondary contamination risks to EMS personnel.

Page 3 of 3

MCA Name: Jackson County MCA MCA Board Approval Date: 01/16/2024 MCA Implementation Date: 04/01/2024

MDHHS Approval: 3/28/24